

Overview

Demag IntElect 100/420-150, 2008

Demag

Product number: 50038



Price

Price on request

Prices excl. VAT plus shipping costs

Description

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Demag
02-type:	IntElect 100/420-150
03-year of construction:	2008
04-condition:	überarbeitet
05-operating hours:	ca. 35.000
10-CLAMPING UNIT:	-
11-clamping force:	100 t
12-opening path:	380 mm
13-mould installation height min:	200 mm
14-mould installation height max.:	430 mm
15-tie bar distance (h x v):	420 x 420 mm
16-plate dimension (h x v):	600 x 600 mm
17-centering (fix- movingplate):	125 mm
20-INJECTION UNIT:	IU150
21-screw diameter:	25 mm
22-injection weight in polystyrol:	45 g
23-stroke volume:	51 cm ³
24-injection pressure:	2.800 bar
30-CONTROL:	NC4
31-screen language:	DE
32-operating manual:	DE

40-EQUIPMENT:	-
41-core pulls:	2 x in der Steuerung!
42-air valves:	1
43-hot runner control devices :	8
44-robot interface:	Euromap 67
45-other equipment :	Kernzug Beistellaggregat!
50-GENERAL DATA:	-
51-installed heating capacity:	5,7 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	5.000 kg
55-total size L x B x H:	4,7 x 1,6 x 2,1 m