

Overview

BOY 50 M, 1998

BOY

Product number: 10055



Price

Price on request

Prices excl. VAT plus shipping costs





Description

terms of delivery: FCA Pegnitz delivery time: on request

terms of payment: 100% prior to delivery

^{*} All prices excl. VAT plus $\underline{\text{shipping costs}}$ and possible delivery charges, if not stated otherwise.



Product information

01-manufacturer:	BOY
02-type:	50 M
03-year of construction:	1998
04-condition:	technisch überarbeitet
05-operating hours:	ca. 45.000
10-CLAMPING UNIT:	-
11-clamping force:	50 t
12-opening path:	350 mm
13-mould installation height min:	250 mm
14-mould installation height max.:	-
15-tie bar distance (h x v):	335 x 305 mm
16-plate dimension (h x v):	500 x 500 mm
17-centering (fix- movingplate):	125 / 125 mm
20-INJECTION UNIT:	IU52
21-screw diameter:	18 mm
22-injection weight in polystyrol:	18,0 g
23-stroke volume:	20,0 cm ³
24-injection pressure:	2.587 bar
30-CONTROL:	PROCAN
31-screen language:	DE
32-operating manuel:	DE

st All prices excl. VAT plus $\underline{\text{shipping costs}}$ and possible delivery charges, if not stated otherwise.



40-EQUIPMENT:	-
41-core pulls:	-
42-air valves:	-
43-hot runner control devices :	-
44-robot interface:	-
50-GENERAL DATA:	-
51-installed heating capacity:	3,6 kW
52-pump drive power:	11,0 kW
53-total installed power:	14,6 kW
54-total weight:	2.500 kg
55-total size L x B x H:	3,4 x 1,0 x 2,0 m

st All prices excl. VAT plus $\underline{\text{shipping costs}}$ and possible delivery charges, if not stated otherwise.