

Overview

Demag Systec 500/920-3300, 2010

Demag

Product number: 20056

Price

€78,000.00*

Prices excl. VAT plus shipping costs



Description

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Demag
02-type:	Systec 500/920-3300 smart
03-year of construction:	2010
04-condition:	aus laufender Produktion
05-operating hours:	ca. 15.000
10-CLAMPING UNIT:	-
11-clamping force:	500 t
12-opening path:	850 mm
13-mould installation height min:	400 mm
14-mould installation height max.:	1150 mm
15-tie bar distance (h x v):	920 x 920 mm
16-plate dimension (h x v):	1320 x 1340 mm
17-centering (fix- movingplate):	200 / 200 mm
20-INJECTION UNIT:	IU3300
21-screw diameter:	80 mm
22-injection weight in polystyrol:	1619 g
23-stroke volume:	1779 cm ³
24-injection pressure:	1.855 bar
30-CONTROL:	NC5
31-screen language:	DE
32-operating manuel:	DE

40-EQUIPMENT:	Ausbaustufe Smart, zusätzl. Wechseleinheit (Sonder) 60mm, ActiveDrive, siehe .pdf Ausstattung!
41-core pulls:	4
42-air valves:	-
43-hot runner control devices :	-
44-robot interface:	Euromap 67
45-other equipment :	Kaskadensteuerung, 8 x pneumatisch u. 8 x hydraulisch
50-GENERAL DATA:	-
51-installed heating capacity:	30,6 kW
52-pump drive power:	75,0 kW
53-total installed power:	105,6 kW
54-total weight:	24.500 kg
55-total size L x B x H:	9,3 x 2,4 x 2,50 m