

Overview

Demag IntElect 150/520-610, 2007



Demag

Product number: 50040

Price

Price on request

Prices excl. VAT plus shipping costs



Description

Frachtbasis: FCA Pegnitz

Lieferzeit: nach Absprache

Zahlungsbedingung: 100% vor Übernahme der Maschine, rein netto

Product information

01-manufacturer:	Demag
02-type:	IntElect 150/520-610
03-year of construction:	2007
04-condition:	aus laufender Produktion / out of running production
05-operating hours:	ca. 30.000
10-CLAMPING UNIT:	-
11-clamping force:	150 t
12-opening path:	495 mm
13-mould installation height min:	275
14-mould installation height max.:	685 mm
15-tie bar distance (h x v):	520 x 520 mm
16-plate dimension (h x v):	770 x 770 mm
17-centering (fix- movingplate):	160/160 mm
20-INJECTION UNIT:	IU610
21-screw diameter:	45 mm
22-injection weight in polystyrol:	270 g
23-stroke volume:	305 cm ³
24-injection pressure:	2.050 bar
30-CONTROL:	NC4
31-screen language:	DE
32-operating manuel:	DE

40-EQUIPMENT:	-
41-core pulls:	2 x (Hydr. Kernzug-Aggregat)
42-air valves:	1
43-hot runner control devices :	4
44-robot interface:	Euromap 67
45-other equipment :	Kernzug Beistellaggregat!
50-GENERAL DATA:	-
51-installed heating capacity:	11,3 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	7.400 kg
55-total size L x B x H:	5,4 x 1,5 x 2,4 m