

Overview

Haitian MA 3200 III 2250, Hilector V-1000IS, 2022

Haitian

Product number: 20059



Price

Price on request

Prices excl. VAT plus shipping costs



Description

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



terms of delivery: FCA Pegnitz
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Haitian
02-type:	MA 3200 III 2250, V-IS1000
03-year of construction:	2022
04-condition:	Running Production
05-operating hours:	2.907
10-CLAMPING UNIT:	-
11-clamping force:	320 t
12-opening path:	640 mm
13-mould installation height min:	250 mm
14-mould installation height max.:	680
15-tie bar distance (h x v):	680 x 680 mm
16-plate dimension (h x v):	990 x 990 mm
17-centering (fix- movingplate):	200/200 mm
20-INJECTION UNIT:	IU2250
21-screw diameter:	70 mm
22-injection weight in polystyrol:	1.128 g
23-stroke volume:	1.239 cm ³
24-injection pressure:	1830 bar
30-CONTROL:	KEBA 2985 15" Touch screen
31-screen language:	DE
32-operating manual:	DE

40-EQUIPMENT:	Dosierschnittstelle, Schnittstelle für: Auswerferplattensicherung, PSG Heißkanlgerät, Steckdosenbox CE, / Dosing interface, interface for: Ejector plate safety device, PSG hot runner, CE socket box
41-core pulls:	-
42-air valves:	2, 3/2 Wegeventil / One-way valve FESTO 10mm FWAP
43-hot runner control devices :	Schnittstelle PSG / PSG interface
44-robot interface:	Euromap 67
45-other equipment :	Hilectro V-1000IS (x-790, y-1.000, z-2.750mm) auf Anfrage / on request
50-GENERAL DATA:	-
51-installed heating capacity:	33,0 kW
52-pump drive power:	45 kW
53-total installed power:	Motor + Heizung
54-total weight:	14.000 kg
55-total size L x B x H:	7,4 x 1,9 x 2,4 m