

Overview

Arburg 270U 250-70, 2005

Arburg

Product number: 10056

Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: FCA Pegnitz
delivery time: on request

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Arburg
02-type:	Arburg 270U 250-70
03-year of construction:	2005
04-condition:	technisch überarbeitet
05-operating hours:	ca. 40.000
10-CLAMPING UNIT:	-
11-clamping force:	25 t
12-opening path:	300 mm
13-mould installation height min:	200 mm
14-mould installation height max.:	-
15-tie bar distance (h x v):	270 x 270 mm
16-plate dimension (h x v):	380 x 380 mm
17-centering (fix- movingplate):	125 / 125 mm
20-INJECTION UNIT:	IU70
21-screw diameter:	25 mm
22-injection weight in polystyrol:	40 g
23-stroke volume:	44,0 cm ³
24-injection pressure:	1.550 bar
30-CONTROL:	Selogica
31-screen language:	DE
32-operating manuel:	DE

40-EQUIPMENT:	-
41-core pulls:	-
42-air valves:	-
43-hot runner control devices :	-
44-robot interface:	Euromap 67
45-other equipment :	Arburg Förderband unter Schließereinheit, QS-Weiche, Signal Farbdosierer / Arburg conveyor belt under clamping unit, QA separator, signal colour feeder
50-GENERAL DATA:	-
51-installed heating capacity:	7,5 kW
52-pump drive power:	7,5 kW
53-total installed power:	Motor + Heizung
54-total weight:	2.500 kg
55-total size L x B x H:	3,0 x 1,3 x 1,9 m