

## Overview

# Arburg 320C 500-100U, 1998

Arburg

Product number: 10058



## Price

**Price on request**

Prices excl. VAT plus shipping costs

## Description

terms of delivery: FCA Pegnitz  
delivery time: on request  
terms of payment: 100% prior to delivery

## Product information

<b>01-manufacturer:</b>	Arburg
<b>02-type:</b>	Arburg 320C 500-100U
<b>03-year of construction:</b>	1998
<b>04-condition:</b>	technisch überarbeitet
<b>05-operating hours:</b>	ca. 60.000
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	50 t
<b>12-opening path:</b>	350 mm
<b>13-mould installation height min:</b>	200 mm
<b>14-mould installation height max.:</b>	-
<b>15-tie bar distance (h x v):</b>	320 x 320 mm
<b>16-plate dimension (h x v):</b>	446 x 446 mm
<b>17-centering (fix- movingplate):</b>	125 / 125 mm
<b>20-INJECTION UNIT:</b>	IU100
<b>21-screw diameter:</b>	25 mm
<b>22-injection weight in polystyrol:</b>	45 g
<b>23-stroke volume:</b>	49,0 cm <sup>3</sup>
<b>24-injection pressure:</b>	2.000 bar
<b>30-CONTROL:</b>	Selogica
<b>31-screen language:</b>	DE
<b>32-operating manual:</b>	DE

<b>40-EQUIPMENT:</b>	-
<b>41-core pulls:</b>	-
<b>42-air valves:</b>	-
<b>43-hot runner control devices :</b>	6
<b>44-robot interface:</b>	Euromap 67
<b>45-other equipment :</b>	Hydraulisch schwenkbar / hydraulically slewable
<b>50-GENERAL DATA:</b>	-
<b>51-installed heating capacity:</b>	5,0 kW
<b>52-pump drive power:</b>	15,1 kW
<b>53-total installed power:</b>	Motor + Heizung
<b>54-total weight:</b>	2.300 kg
<b>55-total size L x B x H:</b>	3,2 x 1,5 x 1,9 m