

Overview

Arburg 320C 500-100U, 1998

Arburg

Product number: 10058

Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: FCA Pegnitz
delivery time: on request
terms of payment: 100% prior to delivery

Product information

| | |
|---|----------------------|
| 01-manufacturer: | Arburg |
| 02-type: | Arburg 320C 500-100U |
| 03-year of construction: | 1998 |
| 05-operating hours: | ca. 60.000 |
| 10-CLAMPING UNIT: | - |
| 11-clamping force: | 50 t |
| 12-opening path: | 350 mm |
| 13-mould installation height min.: | 200 mm |
| 14-mould installation height max.: | - |
| 15-tie bar distance (h x v): | 320 x 320 mm |
| 16-plate dimension (h x v): | 446 x 446 mm |
| 17-centering (fix- movingplate): | 125 / 125 mm |
| 20-INJECTION UNIT: | IU100 |
| 21-screw diameter: | 25 mm |
| 22-injection weight in polystyrol: | 45 g |
| 23-stroke volume: | 49,0 cm ³ |
| 24-injection pressure: | 2.000 bar |
| 30-CONTROL: | Selogica |
| 31-screen language: | DE |
| 32-operating manual: | DE |
| 40-EQUIPMENT: | - |

| | |
|--|---|
| 41-core pulls: | - |
| 42-air valves: | - |
| 43-hot runner control devices : | 6 |
| 44-robot interface: | Euromap 67 |
| 45-other equipment : | Hydraulisch schwenkbar / hydraulically slewable |
| 50-GENERAL DATA: | - |
| 51-installed heating capacity: | 5,0 kW |
| 52-pump drive power: | 15,1 kW |
| 53-total installed power: | Motor + Heizung |
| 54-total weight: | 2.300 kg |
| 55-total size L x B x H: | 3,2 x 1,5 x 1,9 m |