

Overview

Demag concept 420/810-2300, 2007

Demag

Product number: 20064



Price

Price on request

Prices excl. VAT plus shipping costs

Description

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

Product information

01-manufacturer:	Demag
02-type:	Concept 420/810-2300
03-year of construction:	2007
05-operating hours:	ca. 53.000
10-CLAMPING UNIT:	-
11-clamping force:	420 t
12-opening path:	710 mm
13-mould installation height min:	380 mm
14-mould installation height max.:	820 mm
15-tie bar distance (h x v):	810 x 710 mm
16-plate dimension (h x v):	1200 x 1100 mm
17-centering (fix- movingplate):	160 / 160 mm
20-INJECTION UNIT:	IU2300
21-screw diameter:	70 mm
22-injection weight in polystyrol:	1090 g
23-stroke volume:	1212 cm ³
24-injection pressure:	1.877 bar
30-CONTROL:	NC4
31-screen language:	DE
32-operating manuel:	DE
40-EQUIPMENT:	-

41-core pulls:	2
42-air valves:	-
43-hot runner control devices :	8
44-robot interface:	Euromap 67
45-other equipment :	Inkl. Sepro SR SDR 33 S3, 2013 (X: 2500mm; Y: 850 mm; Z:1600 mm)
50-GENERAL DATA:	-
51-installed heating capacity:	34 kW
52-pump drive power:	45,0 kW
53-total installed power:	82,4 kW
54-total weight:	20.000 kg
55-total size L x B x H:	7,9 x 2,3 x 2,5 m