

## Overview

# Haitian JUPITER 2 Plus 5500-2850, 2017

Haitian

Product number: 30011

## Price

# Price on request

Prices excl. VAT plus shipping costs



## Description

terms of delivery: EXW (ex Works)  
delivery time: on request  
terms of payment: 100% prior to delivery

## Product information

<b>01-manufacturer:</b>	Haitian
<b>02-type:</b>	JUPITER 2 Plus 5500-2850, 2017
<b>03-year of construction:</b>	2017
<b>04-condition:</b>	Running Production
<b>05-operating hours:</b>	21.636
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	550 t
<b>12-opening path:</b>	750/1300 mm
<b>13-mould installation height min:</b>	350 mm
<b>14-mould installation height max.:</b>	900 mm
<b>15-tie bar distance (h x v):</b>	920 x 830 mm
<b>16-plate dimension (h x v):</b>	1260 x 1280 mm
<b>17-centering (fix- movingplate):</b>	200/200
<b>20-INJECTION UNIT:</b>	IU2850
<b>21-screw diameter:</b>	70 mm
<b>22-injection weight in polystyrol:</b>	1127 g
<b>23-stroke volume:</b>	1239 cm <sup>3</sup>
<b>24-injection pressure:</b>	1990 bar
<b>30-CONTROL:</b>	KEBA 2880
<b>31-screen language:</b>	DE / EN
<b>32-operating manual:</b>	DE



<b>40-EQUIPMENT:</b>	-
<b>41-core pulls:</b>	4
<b>42-air valves:</b>	4x
<b>43-hot runner control devices :</b>	-
<b>44-robot interface:</b>	Euromap 67
<b>45-other equipment :</b>	Servo-Pumpenantrieb, Option Wemo 120 xline, 2017
<b>50-GENERAL DATA:</b>	-
<b>51-installed heating capacity:</b>	36,4 kW
<b>52-pump drive power:</b>	55 + 4 kW
<b>53-total installed power:</b>	Motor + Heizung
<b>54-total weight:</b>	21000 kg
<b>55-total size L x B x H:</b>	7,5 x 2,5 x 2,6 m