

Overview

Demag ergotech 110/470-430 System, 2005

Demag

Product number: 20071

Price

Price on request

Prices excl. VAT plus shipping costs



Description

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Demag
02-type:	ergotech 110/470-430 System
03-year of construction:	2005
04-condition:	Running Production
05-operating hours:	-
10-CLAMPING UNIT:	-
11-clamping force:	110 t
12-opening path:	600 mm
13-mould installation height min:	350 mm
14-mould installation height max.:	-
15-tie bar distance (h x v):	470 x 470 mm
16-plate dimension (h x v):	670 x 670 mm
17-centering (fix- movingplate):	125/125 mm
20-INJECTION UNIT:	IU430
21-screw diameter:	45 mm (Mischteil/mixing)
22-injection weight in polystyrol:	259 g
23-stroke volume:	292,6 cm ³
24-injection pressure:	1.600 bar
30-CONTROL:	NC4
31-screen language:	DE
32-operating manuel:	DE

40-EQUIPMENT:	-
41-core pulls:	1
42-air valves:	2
43-hot runner control devices :	12
44-robot interface:	Euromap 67
50-GENERAL DATA:	-
51-installed heating capacity:	11,3 kW
52-pump drive power:	30,0 kW
53-total installed power:	41,3 kW
54-total weight:	5650 kg
55-total size L x B x H:	4,7 x 1,6 x 2,0 m