

**Overview**

# Arburg 520 A 2000-400 Alldrive inkl. Multilift, 2006 (Electric)

Arburg


Product number: 50049



**Price**

**Price on request**

Prices excl. VAT plus shipping costs



\* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

## Description

terms of delivery: FCA Pegnitz  
delivery time: on request  
terms of payment: 100% prior to delivery

## Product information

<b>01-manufacturer:</b>	Arburg
<b>02-type:</b>	A520 A 2000-400 Alldrive
<b>03-year of construction:</b>	2006
<b>04-condition:</b>	aus laufender Produktion / out of running production
<b>05-operating hours:</b>	ca. 60.000
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	200 t
<b>12-opening path:</b>	450 mm
<b>13-mould installation height min:</b>	250 mm
<b>14-mould installation height max.:</b>	550 mm
<b>15-tie bar distance (h x v):</b>	520 x 520 mm
<b>16-plate dimension (h x v):</b>	695 x 695 mm
<b>17-centering (fix- movingplate):</b>	125/125 mm
<b>20-INJECTION UNIT:</b>	IU400
<b>21-screw diameter:</b>	35 mm
<b>22-injection weight in polystyrol:</b>	141 g
<b>23-stroke volume:</b>	154 cm <sup>3</sup>
<b>24-injection pressure:</b>	2.500 bar
<b>30-CONTROL:</b>	Selogica
<b>31-screen language:</b>	DE
<b>32-operating manual:</b>	DE

<b>40-EQUIPMENT:</b>	Auftragsspezifikation / Specification of Order
<b>41-core pulls:</b>	3
<b>42-air valves:</b>	3/2
<b>43-hot runner control devices :</b>	6
<b>44-robot interface:</b>	Multilift H, integriert
<b>45-other equipment :</b>	Multilift 15V (Z:2800mm/X:900mm/Y:800mm/C:0°/90°/B:270°/Vakuum \$/Pneumatik 2), Schutzzaun
<b>50-GENERAL DATA:</b>	-
<b>51-installed heating capacity:</b>	19,9 kW
<b>52-pump drive power:</b>	entfällt
<b>53-total installed power:</b>	Motor + Heizung
<b>54-total weight:</b>	9.500 kg
<b>55-total size L x B x H:</b>	6,04 x 1,6 x 2,2 m