

Overview

FM Elektra evolution EE110L-300, 2010 (Electric)

Ferromatik Milacron

Product number: 50052



Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: FCA Pegnitz
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Ferromatik Milacron
02-type:	EE110L-300
03-year of construction:	2010
04-condition:	Running Production
05-operating hours:	ca. 55.000
10-CLAMPING UNIT:	-
11-clamping force:	110 t
12-opening path:	440 mm
13-mould installation height min:	200 mm
14-mould installation height max.:	590 mm
15-tie bar distance (h x v):	520 x 520 mm
16-plate dimension (h x v):	780 x 780 mm
17-centering (fix- movingplate):	125 mm
20-INJECTION UNIT:	IU300
21-screw diameter:	30 mm
22-injection weight in polystyrol:	103 g
23-stroke volume:	113 cm ³
24-injection pressure:	2.543 bar
30-CONTROL:	Mosaic
31-screen language:	DE
32-operating manual:	DE

40-EQUIPMENT:	-
41-core pulls:	1 x hydr.
42-air valves:	1 x
43-hot runner control devices :	4
44-robot interface:	Euromap 67
45-other equipment :	Selektierweiche
50-GENERAL DATA:	-
51-installed heating capacity:	11,2 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	7.200 kg
55-total size L x B x H:	5,0 x 1,5 x 2,1 m