

Overview

Arburg 320C 500-170 + Multilift Select 6, 2012

Arburg



Product number: 10064



Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: FCA Pegnitz

delivery time: on request

terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Arburg
02-type:	Arburg 320C 500-170 + Multilift Select 6
03-year of construction:	2012
04-condition:	Running Production
05-operating hours:	ca. 56.500
10-CLAMPING UNIT:	-
11-clamping force:	50 t
12-opening path:	350 mm
13-mould installation height min:	200 mm
14-mould installation height max.:	-
15-tie bar distance (h x v):	320 x 320 mm
16-plate dimension (h x v):	446 x 446 mm
17-centering (fix- movingplate):	125 / 125 mm
20-INJECTION UNIT:	IU170
21-screw diameter:	25 mm
22-injection weight in polystyrol:	54 g
23-stroke volume:	59 cm ³
24-injection pressure:	2.500 bar
30-CONTROL:	Selogica direct
31-screen language:	DE
32-operating manual:	DE

40-EQUIPMENT:	Multilift Select 6
41-core pulls:	-
42-air valves:	ja / yes
43-hot runner control devices :	6
44-robot interface:	Euromap 67
45-other equipment :	Siehe Auftragsbestätigung / See order confirmation
50-GENERAL DATA:	-
51-installed heating capacity:	7,9 kW
52-pump drive power:	11,0 kW
53-total installed power:	Motor + Heizung
54-total weight:	2.900 kg
55-total size L x B x H:	3,8 x 1,3 x 2,0 m