

## Overview

# Ferromatik Milacron Elektra evolution EE50-55, 2006

Ferromatik Milacron

**Product number:** 0-50021

## Price

# Price on request

Prices excl. VAT plus shipping costs



## Description

all belts had been renewed

terms of delivery: FCA Pegnitz

delivery time: shortly on request

terms of payment: 100% prior to delivery

## Product information

<b>01-manufacturer:</b>	Ferromatik Milacron
<b>02-type:</b>	EE50-55
<b>03-year of construction:</b>	2006
<b>04-condition:</b>	technisch überarbeitet
<b>05-operating hours:</b>	ca. 55.500
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	50 t
<b>12-opening path:</b>	260 mm
<b>13-mould installation height min:</b>	150 mm
<b>14-mould installation height max.:</b>	410 mm
<b>15-tie bar distance (h x v):</b>	320 x 320 mm
<b>16-plate dimension (h x v):</b>	470 x 490 mm
<b>17-centering (fix- movingplate):</b>	125 mm
<b>20-INJECTION UNIT:</b>	IU55
<b>21-screw diameter:</b>	22 mm
<b>22-injection weight in polystyrol:</b>	26 g
<b>23-stroke volume:</b>	29 cm <sup>3</sup>
<b>24-injection pressure:</b>	1.939 bar
<b>30-CONTROL:</b>	Mosaic
<b>31-screen language:</b>	DE
<b>32-operating manuel:</b>	DE

<b>40-EQUIPMENT:</b>	-
<b>41-core pulls:</b>	1
<b>42-air valves:</b>	2
<b>43-hot runner control devices :</b>	16
<b>44-robot interface:</b>	Euromap 67
<b>50-GENERAL DATA:</b>	-
<b>51-installed heating capacity:</b>	4,8 kW
<b>52-pump drive power:</b>	entfällt
<b>53-total installed power:</b>	Motor + Heizung
<b>54-total weight:</b>	3.200 kg
<b>55-total size L x B x H:</b>	4,0 x 1,6 x 1,9 m