

## Overview

# Moretto loss-in-weight dosing unit DPK8

Moretto

**Product number:** DPK8

**Price**

**€4,977.13\***

Prices excl. VAT plus shipping costs



**Artikelnummer: DPK8**

ENGINEERING PLASTICS

MORE TO

CRYSTAL LOSS-IN-WEIGHT DOSING UNIT

DPK

Automatic

Model	Capacity (kg/h)	Max. Hopper (kg)	Max. Hopper (kg)	Max. Hopper (kg)
DPK 10	10	10	10	10
DPK 15	15	15	15	15
DPK 20	20	20	20	20
DPK 30	30	30	30	30
DPK 40	40	40	40	40
DPK 50	50	50	50	50
DPK 60	60	60	60	60
DPK 70	70	70	70	70
DPK 80	80	80	80	80
DPK 90	90	90	90	90
DPK 100	100	100	100	100

ENGINEERING DATA

MORETTO

CRYSTAL LOSS-IN-WEIGHT DOSING UNIT

DPK

Dimensions

Model	a	b	c	d	e	f	g	h	i	j	k	Weight
DPK 10	100	100	100	100	100	100	100	100	100	100	100	100
DPK 15	150	150	150	150	150	150	150	150	150	150	150	150
DPK 20	200	200	200	200	200	200	200	200	200	200	200	200
DPK 30	300	300	300	300	300	300	300	300	300	300	300	300
DPK 40	400	400	400	400	400	400	400	400	400	400	400	400
DPK 50	500	500	500	500	500	500	500	500	500	500	500	500
DPK 60	600	600	600	600	600	600	600	600	600	600	600	600
DPK 70	700	700	700	700	700	700	700	700	700	700	700	700
DPK 80	800	800	800	800	800	800	800	800	800	800	800	800
DPK 90	900	900	900	900	900	900	900	900	900	900	900	900
DPK 100	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000

\* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

## Description

- new -

- throughput 0.33 - 2 kg / hr.
- direct setting of the percentage
- touch view control
- removable transparent hopper

The DPK is a compact, precise loss-in-weight dosing unit that is perfect for dosing small quantities of colour batches or additives in a flow of raw material. Compared to other systems, the DPK has a significantly higher precision, as only the batch hopper is weighed.

The material hopper is made of transparent impact-resistant acrylic material and is free of electrostatic charge. The additive is located in a transparent funnel for quick and easy checking of the fill level. This can be easily removed and replaced, enabling a quick change of material. Thanks to the loss-in-weight process and the stepper motor used, the accuracy of the dosing device is guaranteed even at low dosing speeds. The DPK is vibration-resistant. Direct mounting of the feeder is possible. Various recipes can be saved and easily changed using the touchscreen interface.

## Product information

<b>Gesamtgewicht:</b>	21 kg
<b>Gesamtgröße L x B x H:</b>	32 x 21 x 34,5 cm
<b>Schneckendurchmesser:</b>	8 mm
<b>Steigung der Schnecke:</b>	4 mm
<b>Trichterkapazität:</b>	3 L
<b>condition:</b>	neu
<b>elektrische Leistung:</b>	0,15 kW
<b>throughput min.-max.:</b>	0,3 - 2 kg / Std.