

## Overview

# Haitian MA 4700 II 2200, 2015

Haitian

**Product number:** 20040

## Price

**Price on request**

Prices excl. VAT plus shipping costs



## Description

terms of delivery: EXW (ex Works) plus loading  
delivery time: on request  
terms of payment: 100% prior to delivery

\* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

## Product information

<b>01-manufacturer:</b>	Haitian
<b>02-type:</b>	MA 4700 II 2200
<b>03-year of construction:</b>	2015
<b>05-operating hours:</b>	ca. 21.000
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	470 t
<b>12-opening path:</b>	780 mm
<b>13-mould installation height min:</b>	320 mm
<b>14-mould installation height max.:</b>	780 mm
<b>15-tie bar distance (h x v):</b>	820 x 800 mm
<b>16-plate dimension (h x v):</b>	1210 x 1180 mm
<b>17-centering (fix- movingplate):</b>	200/200 mm
<b>20-INJECTION UNIT:</b>	IU2200
<b>21-screw diameter:</b>	70 mm
<b>22-injection weight in polystyrol:</b>	1.127 g
<b>23-stroke volume:</b>	1.239 cm <sup>3</sup>
<b>24-injection pressure:</b>	1.820 bar
<b>30-CONTROL:</b>	CP252/P
<b>31-screen language:</b>	DE
<b>32-operating manuel:</b>	GB
<b>40-EQUIPMENT:</b>	-

<b>41-core pulls:</b>	2
<b>42-air valves:</b>	ja
<b>43-hot runner control devices :</b>	-
<b>44-robot interface:</b>	Euromap 67
<b>45-other equipment :</b>	-
<b>50-GENERAL DATA:</b>	-
<b>51-installed heating capacity:</b>	36,9 kW
<b>52-pump drive power:</b>	45 kW
<b>53-total installed power:</b>	Motor + Heizung
<b>54-total weight:</b>	18.500 kg
<b>55-total size L x B x H:</b>	8,6 x 2,0 x 2,4 m