

Overview

Ferromatik Milacron Elektra evolution EE75- 300, 2004

Ferromatik Milacron

Product number: 0-50017

Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

Product information

01-manufacturer:	Ferromatik Milacron
02-type:	EE75-300
03-year of construction:	2004
04-condition:	technisch überarbeitet
05-operating hours:	ca. 32.000
10-CLAMPING UNIT:	-
11-clamping force:	75 t
12-opening path:	320 mm
13-mould installation height min:	150 mm
14-mould installation height max.:	480 mm
15-tie bar distance (h x v):	405 x 380 mm
16-plate dimension (h x v):	575 x 570 mm
17-centering (fix- movingplate):	125 mm
20-INJECTION UNIT:	IU300
21-screw diameter:	30 mm
22-injection weight in polystyrol:	103 g
23-stroke volume:	113 cm ³
24-injection pressure:	2.500 bar
30-CONTROL:	IQT44
31-screen language:	DE
32-operating manuel:	DE

40-EQUIPMENT:	-
41-core pulls:	2 x hydr. + 1 x pneum.
42-air valves:	1
43-hot runner control devices :	-
44-robot interface:	Euromap 67
45-other equipment :	-
50-GENERAL DATA:	-
51-installed heating capacity:	9,2 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	4.700 kg
55-total size L x B x H:	4,4 x 1,5 x 2,0 m